

In line with Isofield's mission of continuous product improvement, we are happy to advise that we have included endotoxin testing for all our cleanroom gloves. This testing regime is part of our process control plan to ensure that our gloves are biologically safe and conform to BS EN 455-3:2015 and USP requirements.

To further provide a level of confidence in our gloves, we report the results of the endotoxin test in our Certificate of Analysis (COA). This came into effect from Lot # 230041, starting with Isofield LS300, Product Code: 10230, Size L, and applied to all cleanroom gloves manufactured subsequently. The change in our COA to reflect the endotoxin result is explained below.



7-March-2024

ASIA	ISOFIELD SDN BHD Reg No. 201901039008 (1348338-A) 6 JALAN GUDANG 16/9, SEKSYEN 16, 40200, SHAH ALAM, SELANGOR, MALAYSIA	EUROPE	ISOFIELD UK LTD. Reg No.13142095 HYPERION HOUSE, THE OAKS, FORDHAM RD, NEWMARKET, SUFFOLK, CB8 7XN, UK	CONTACT	WWW.ISOFIELD.COM INFO@ISOFIELD.COM
------	---	--------	--	---------	---------------------------------------

## Change of COA

### BEFORE

ISOfield		CERTIFICATE OF ANALYSIS																																																							
<table border="1"> <tr><td>PRODUCT NAME</td><td>Isofield LS300</td></tr> <tr><td>PRODUCT CODE / SIZE</td><td>10230 / M</td></tr> <tr><td>LOT</td><td>230040</td></tr> <tr><td>MANUFACTURING DATE</td><td>2023-02</td></tr> <tr><td>EXPIRY DATE</td><td>2026-01</td></tr> <tr><td>CERTIFICATE OF IRRADIATION</td><td>NA</td></tr> </table>		PRODUCT NAME	Isofield LS300	PRODUCT CODE / SIZE	10230 / M	LOT	230040	MANUFACTURING DATE	2023-02	EXPIRY DATE	2026-01	CERTIFICATE OF IRRADIATION	NA	<table border="1"> <thead> <tr><th>PROPERTY</th><th>TEST METHOD</th><th>TEST PLAN</th><th>RESULT</th></tr> </thead> <tbody> <tr><td>Pinholes – Water Tight Test</td><td>EN ISO 374-2</td><td>AQL 1.5; G1</td><td>Conforms</td></tr> <tr><td>Visual – major defects</td><td>In-house</td><td>AQL 2.5; G1</td><td>Conforms</td></tr> <tr><td>Visual – minor defects</td><td>In-house</td><td>AQL 4.0; G1</td><td>Conforms</td></tr> <tr><td>Dimension</td><td>EN ISO 21420, EN 455-2</td><td>AQL 4.0; S2</td><td>Conforms</td></tr> <tr><td>Physical Properties</td><td>EN455-2</td><td>AQL 4.0; S2</td><td>Conforms</td></tr> <tr><td>Packing Configuration</td><td>In-house</td><td>NA</td><td>Conforms</td></tr> <tr><td>Extractable Ionics</td><td>IEST-RP-CC005.4</td><td>N=3</td><td>Conforms</td></tr> <tr><td>Liquid Particle Count</td><td>IEST-RP-CC005.4</td><td>N=3</td><td>Conforms</td></tr> <tr><td>Sterilization</td><td>Gamma Irradiation</td><td>Minimum 25kGy</td><td>NA</td></tr> </tbody> </table> <p>  2797         0086         </p>				PROPERTY	TEST METHOD	TEST PLAN	RESULT	Pinholes – Water Tight Test	EN ISO 374-2	AQL 1.5; G1	Conforms	Visual – major defects	In-house	AQL 2.5; G1	Conforms	Visual – minor defects	In-house	AQL 4.0; G1	Conforms	Dimension	EN ISO 21420, EN 455-2	AQL 4.0; S2	Conforms	Physical Properties	EN455-2	AQL 4.0; S2	Conforms	Packing Configuration	In-house	NA	Conforms	Extractable Ionics	IEST-RP-CC005.4	N=3	Conforms	Liquid Particle Count	IEST-RP-CC005.4	N=3	Conforms	Sterilization	Gamma Irradiation	Minimum 25kGy	NA
PRODUCT NAME	Isofield LS300																																																								
PRODUCT CODE / SIZE	10230 / M																																																								
LOT	230040																																																								
MANUFACTURING DATE	2023-02																																																								
EXPIRY DATE	2026-01																																																								
CERTIFICATE OF IRRADIATION	NA																																																								
PROPERTY	TEST METHOD	TEST PLAN	RESULT																																																						
Pinholes – Water Tight Test	EN ISO 374-2	AQL 1.5; G1	Conforms																																																						
Visual – major defects	In-house	AQL 2.5; G1	Conforms																																																						
Visual – minor defects	In-house	AQL 4.0; G1	Conforms																																																						
Dimension	EN ISO 21420, EN 455-2	AQL 4.0; S2	Conforms																																																						
Physical Properties	EN455-2	AQL 4.0; S2	Conforms																																																						
Packing Configuration	In-house	NA	Conforms																																																						
Extractable Ionics	IEST-RP-CC005.4	N=3	Conforms																																																						
Liquid Particle Count	IEST-RP-CC005.4	N=3	Conforms																																																						
Sterilization	Gamma Irradiation	Minimum 25kGy	NA																																																						
COMPANY ISOFIELD SDN BHD Reg No. 201901039008 (1348338-A) 	NAME Steve Morgan	DATE 15 Feb 2023																																																							

### AFTER

ISOfield		CERTIFICATE OF ANALYSIS																																																											
<table border="1"> <tr><td>PRODUCT NAME</td><td>Isofield VOLTA</td></tr> <tr><td>PRODUCT CODE / SIZE</td><td>2053065</td></tr> <tr><td>LOT</td><td>240001</td></tr> <tr><td>MANUFACTURING DATE</td><td>2024-01</td></tr> <tr><td>EXPIRY DATE</td><td>2026-12</td></tr> <tr><td>CERTIFICATE OF IRRADIATION</td><td>S1277820011</td></tr> </table>		PRODUCT NAME	Isofield VOLTA	PRODUCT CODE / SIZE	2053065	LOT	240001	MANUFACTURING DATE	2024-01	EXPIRY DATE	2026-12	CERTIFICATE OF IRRADIATION	S1277820011	<table border="1"> <thead> <tr><th>PROPERTY</th><th>TEST METHOD</th><th>TEST PLAN</th><th>RESULT</th></tr> </thead> <tbody> <tr><td>Pinholes – Water Tight Test</td><td>EN ISO 374-2</td><td>AQL 0.65; G1</td><td>Conforms</td></tr> <tr><td>Visual – major defects</td><td>In-house</td><td>AQL 2.5; G1</td><td>Conforms</td></tr> <tr><td>Visual – minor defects</td><td>In-house</td><td>AQL 4.0; G1</td><td>Conforms</td></tr> <tr><td>Dimension</td><td>EN ISO 21420, EN 455-2</td><td>AQL 4.0; S2</td><td>Conforms</td></tr> <tr><td>Physical Properties</td><td>EN455-2</td><td>AQL 4.0; S2</td><td>Conforms</td></tr> <tr><td>Packing Configuration</td><td>In-house</td><td>NA</td><td>Conforms</td></tr> <tr><td>Extractable Ionics</td><td>IEST-RP-CC005.4</td><td>N=3</td><td>Conforms</td></tr> <tr><td>Liquid Particle Count</td><td>IEST-RP-CC005.4</td><td>N=3</td><td>Conforms</td></tr> <tr><td>Sterilization</td><td>Gamma Irradiation</td><td>Minimum 25kGy</td><td>Conforms</td></tr> <tr><td>Endotoxin</td><td>EN455-3, USP</td><td>S20 EU/Pair</td><td>Conforms</td></tr> </tbody> </table> <p>  2797         0086         </p>				PROPERTY	TEST METHOD	TEST PLAN	RESULT	Pinholes – Water Tight Test	EN ISO 374-2	AQL 0.65; G1	Conforms	Visual – major defects	In-house	AQL 2.5; G1	Conforms	Visual – minor defects	In-house	AQL 4.0; G1	Conforms	Dimension	EN ISO 21420, EN 455-2	AQL 4.0; S2	Conforms	Physical Properties	EN455-2	AQL 4.0; S2	Conforms	Packing Configuration	In-house	NA	Conforms	Extractable Ionics	IEST-RP-CC005.4	N=3	Conforms	Liquid Particle Count	IEST-RP-CC005.4	N=3	Conforms	Sterilization	Gamma Irradiation	Minimum 25kGy	Conforms	Endotoxin	EN455-3, USP	S20 EU/Pair	Conforms
PRODUCT NAME	Isofield VOLTA																																																												
PRODUCT CODE / SIZE	2053065																																																												
LOT	240001																																																												
MANUFACTURING DATE	2024-01																																																												
EXPIRY DATE	2026-12																																																												
CERTIFICATE OF IRRADIATION	S1277820011																																																												
PROPERTY	TEST METHOD	TEST PLAN	RESULT																																																										
Pinholes – Water Tight Test	EN ISO 374-2	AQL 0.65; G1	Conforms																																																										
Visual – major defects	In-house	AQL 2.5; G1	Conforms																																																										
Visual – minor defects	In-house	AQL 4.0; G1	Conforms																																																										
Dimension	EN ISO 21420, EN 455-2	AQL 4.0; S2	Conforms																																																										
Physical Properties	EN455-2	AQL 4.0; S2	Conforms																																																										
Packing Configuration	In-house	NA	Conforms																																																										
Extractable Ionics	IEST-RP-CC005.4	N=3	Conforms																																																										
Liquid Particle Count	IEST-RP-CC005.4	N=3	Conforms																																																										
Sterilization	Gamma Irradiation	Minimum 25kGy	Conforms																																																										
Endotoxin	EN455-3, USP	S20 EU/Pair	Conforms																																																										
COMPANY ISOFIELD SDN BHD Reg No. 201901039008 (1348338-A) 	NAME Steve Morgan	DATE 1 Feb 24																																																											

ASIA

ISOFIELD SDN BHD Reg No. 201901039008 (1348338-A)  
6 JALAN GUDANG 16/9, SEKSYEN 16,  
40200, SHAH ALAM, SELANGOR, MALAYSIA

EUROPE

ISOFIELD UK LTD. Reg No.13142095  
HYPERION HOUSE, THE OAKS, FORDHAM RD,  
NEWMARKET, SUFFOLK, CB8 7XN, UK

CONTACT

WWW.ISOFIELD.COM  
INFO@ISOFIELD.COM

**Impacted Product Name & Product Code (as of 7-March-2024)**

Product Name	Product Code
<b>Isofield CR+</b>	<b>10040</b>
<b>Isofield LS400</b>	<b>10140</b>
<b>Isofield LS300</b>	<b>10230</b>
<b>Isofield CR++</b>	<b>10360</b>
<b>Isofield LS530</b>	<b>10553</b>
<b>Isofield Blazer</b>	<b>10630</b>
<b>Isofield Blazer LT</b>	<b>10630LT</b>
<b>Isofield NS300</b>	<b>20130</b>
<b>Isofield CRN+</b>	<b>20240</b>
<b>Isofield NS400</b>	<b>20340</b>
<b>Isofield Eclipse</b>	<b>20440</b>
<b>Isofield Volta</b>	<b>20530</b>